CLAIMS

- A microorganism which extracellularly secretes an unsaturated fatty acid-containing lipid as lipid vesicles endapsulating said lipid./
 - The microorganism according to claim 1, wherein said unsaturated fatty acids are fatty acids having 18 carbbhs and two or more double bonds.
 - The microorganism according to claim 1 or 2 which is a filamentous fungus.
 - The microorganism according to claim 3 which is a microorganism belonging to genus Mortierella.
 - The microorganism according to claim 4 which is a microorganism belonging to genus Mortierella subgenus Mortierella.
 - 6. The microorganism according to claim 5 which is a microorganism belonging to the species alpina.
 - The mickoorganism according to any one of claims 1 to 6 which has a property of forming lipid vesicles containing a lipid around the colonies when said microorganism is grown on a solid medium, and/or of making the culture liquid cloudy when said microorganism is cultured in a transparent liquid medium.
 - The microorganism according to any one of claims 1 to 7 which is obtained by artificially treating. a microorganism having an ability to accumulate an unsaturated fatty acid-containing lipid in the cell.
 - The microorganism according to any one of claims 1 to 7 which is selected by artificially treating a microorganism having an ability of accumulating an unsaturated fatty acid-containing lipid in the cell, by culturing the obtained strains on a solid medium to select strains of which colonies are covered with lipidcontaining lipid vesicles at the periphery, and then by selecting those strains that make the culture liquid cloudy when said microorganism is cultured in a transparent liquid medium.
 - The microorganism according to any one of

enix 20 U

25

30

Sub AZ

claims 1 to 9 which can be turned into a spheroplast or a protoplast.

धा

11. A filamentous fungus having a property of extracellularly secreting a lipid containing unsaturated fatty acids.

Sub A3

12. The microorganism according to any one of claims 1 to 11 wherein said extracellularly secreted lipid is a lipid in which 50% or more is triglyceride.

10

- 13. The microorganism according to any one of claims 1 to 12 wherein said unsaturated fatty acids are arachidonic acid.
- 14. The microorganism according to claim 13 wherein said lipid contains 10% or more arachidonic acid relative to the total fatty acids.

15

- 15. Lipid vesicles encapsulating an unsaturated fatty acid-containing lipid.
- 16. The lipid vesibles according to claim 15 wherein said unsaturated fatty acids are unsaturated fatty acids having 18 or more carbons and two or more double bonds.

20

25

30

- 17. The lipid vesicles according to claim 15 or 16 wherein said lipid vesicles are produced by a microorganism.
- 18. Lipid vesicles encapsulating a lipid obtained from a culture liquid prepared by culturing the microorganism according to any one of claims 1 to 14 in a liquid medium.
- 19. The lipid vesicles according to any one of claims 15 to 18 which can be uniformly dispersed in water or a hydrophilic substance.
- 20. The lipid vesicles according to any one of claims 15 to 18 which stably retains the lipid encapsulated within said lipid vesicles against oxidation.

- 21. The lipid vesicles according to any one of claims 15 to 18 which can be separated by centrifugation.
 - 22. The lipid vesicles according to any one of

5

10

neru ruzenen 15

20

25

30

35

claims 15 to 21 wherein the membrane of said lipid vesicles comprises sugar, protein, and lipid.

- The lipid vesicles according to any one of claims 15 to 22 which has an average diameter of 0.2 to 10 µm.
- The lipid vesicles according to any one of claims 15 to 23 wherein the lipid encapsulated in said lipid vesicles is a lipid in which 50% or more is triglyceride.
- A lipid isolated from the lipid vesicles according to any one of claims 15 to 24.
- A food, a cosmetic, or an animal feed comprising the lipid vesicles according to any one of claims 15 to 24 added thereto.
- 27. The food according to claim 26 wherein the food comprising the lipid vesicles added thereto is a functional food, a nutrient supplement, formula for premature infants, modified milk for babies, a baby food, a food for pregnant women or a food for the aged people.
- The food according to claim 26 wherein the foods to which the lipid vesicles have been added are beverages.
- A food, a cosmetic, a pharmaceutical or an animal feed comprising the lipid according to claim 25 added thereto.
- A method of producing lipid vesicles which method comprises culturing the microorganism according to any one of claims 1 to 14\in a liquid medium and then collecting the lipid vesicles encapsulating a lipid from the culture liquid.
- A method of producing lipid vesicles which method comprises continuously dulturing the microorganism according to any one of claims $1 \!\!\! \backslash$ to 14 in a liquid medium and then continuously collecting the lipid vesicles encapsulating a lipid from the culture liquid.
- A method of producing a lipid which method comprises culturing the microorganism according to any

one of claims 1 to 14\in a liquid medium, collecting lipid vesicles encapsulating a lipid from the culture liquid, and separating a lipid containing fatty acids from said lipid vesicles

A method of producing unsaturated fatty acids which method comprises culturing the microorganism according to any one of claims 1 to 14 in a liquid medium, collecting lipid vesticles encapsulating a lipid from the culture liquid, separating the lipid containing fatty acids from said lipid vesicles, and isolating the unsaturated fatty acids from said lipid.

34. A microorganism having a property of extracellularly secreting a lipid containing unsaturated fatty acids that have 18 carbons and three or more double bonds or 20 or more carbons and two or more double bonds.

3. A microorganism having a property of directly and ext#ragellularly secreting a lipid containing unsaturated fatty acids that have 18 carbons and three or more double bonds or 20 or more carbons and two or more double bonds.

The microokganism according to claim 34 or 35 36. which is a filamentous fungus.

The microorganism according to any one of claims 34 to 36 which has a property of forming lipidcontaining lipid vesicles \around the colonies thereof when said microorganism is grown on a solid medium, and/or of making the culture liquid cloudy when said microorganism is cultured in a transparent liquid medium.

The microorganism according to any one of claims 34 to 37 obtained by artificially treating a microorganism which has an ability of intracellularly accumulating a lipid containing fatty acids that have 18 carbons and three or more double bonds or 20 or more carbons and two or more double bonds

The microorganism according to claim 35 or 36 obtained by artificially treating a microorganism which has an ability of intracellularly accumulating a lipid

10

5

15

20

COBUTELL DUKS

25

30

Surch.

5

containing fatty acids that have 18 carbons and three or more double bonds or 20 or more carbons and two or more double bonds, and by selecting, from the strains obtained, strains that make the culture liquid cloudy and then separates a lipid layer when cultured in a transparent liquid medium.

- 40. The microorganism according to any one of claims 34 to 39 which can be turned into a spheroplast or a protoplast.
- 41. The microorganism according to any one of claims 34 to 40 wherein said extracellularly secreted lipid is a lipid in which 50% or more is triglyceride.
- 42. A method of producing a lipid containing unsaturated fatty acids which method comprises culturing the microorganism according to any one of claims 34 to 41 in a liquid medium and collecting the lipid from the culture liquid.
- 43. A method of producing a lipid containing unsaturated fatty acids which method comprises continuously culturing the microorganism according to any one of claims 34 to 41 in a liquid medium and then continuously collecting the lipid from the culture liquid.
- 44. A screening method wherein a microorganism having an ability of extracellularly secreting a lipid containing unsaturated fatty acids using as an index the fact that when the microorganism is cultured using a transparent liquid medium the culture liquid becomes cloudy.
- 45. The screening method according to claim 44 wherein said unsaturated fatty acids have 18 carbons and three or more double bonds or 20 or more carbons and two or more double bonds.
- 46. The screening method according to claim 44 wherein said microorganism is a filamentous fungus.
- 47. A screening method wherein strains having a property of xtracellularly secreting an unsaturated

10

15

20

ngenyeut mut me

25

30 Sub 47

Sut AT crobb

5

10

15

fatty acid-containing lipid are selected by artificially treating a microorganism having an ability to accumulate the unsaturated fatty acid-containing lipid in the cell, and by culturing the strains obtained on a solid medium to select strains of which colonies are covered with lipid-containing lipid vesicles at the periphery.

- 48. A screening method wherein strains having a property of extracellularly secreting an unsaturated fatty acid-containing lipid are selected by artificially treating a microorganism having an ability to accumulate the unsaturated fatty acid-containing lipid in the cell, by culturing the strains obtained on a solid medium to select strains of which colonies are covered with lipid-containing lipid vesicles at the periphery, and by further culturing the selected strains in a transparent liquid medium to select strains for which the culture liquid becomes cloudy.
- 49. The screening method according to claim 47 or 48 wherein said artificial manipulation is mutation treatment with N-methyl-N'-nitro-N-nitrosoguanidine (NTG).
- 50. The screening method according to claim 47 or 48 wherein said artificial manipulation is mutation treatment, gene manipulation, or cell fusion.
- 51. A microorganism selected by the screening method according to any one of claims 44 to 50.

25

.20

THE PART PART TO STATE OF THE S

COD PS